

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.10.2018 / 0002

Revision date / version: 23.07.2018 / 0001 Replacing version dated / version: 23.07.2018 / 0001 Valid from: 10.10.2018 PDF print date: 18.10.2018 HUECK PU-Metallklebstoff - Komp. A Binder

Art.-Nr: Z92265600.0001

Safety data sheet

according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

HUECK PU-Metallklebstoff - Komp. A Binder Art.-Nr: Z92265600.0001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Adhesive Sector of use [SU]: SU2: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against:

1.3 Details of the supplier of the safety data sheet

(GB)

Manufacturer

Weiss Chemie + Technik GmbH & Co.KG, Hansastrasse 2, 35708 Haiger, Germany Phone:+49(0)2773/815-0, Fax:---

msds@weiss-chemie.de, www.weiss-chemie.de

(GB)

Hueck GmbH & Co. KG, Loher Str. 9, 58511 Lüdenscheid, Germany

Phone:+49 (0) 23 51 151-1, Fax:--info@hueck.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (WIC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)
The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substance

3.2 Mixture

Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	***
CAS	
content %	
Classification according to Regulation (EC) 1272/2008	
(CLP)	

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wipe off residual product carefully with a soft, dry cloth.

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor. Unsuitable cleaning product:

Eye contact

Remove contact lenses

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Rinse the mouth thoroughly with water. Do not induce vomiting. Consult doctor immediately

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. 4.3 Indication of any immediate medical attention and special treatment needed n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media
Adapt to the nature and extent of fire.
Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop

Oxides of carbon Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.
Protective respirator with independent air supply.
According to size of fire
Full protection, if necessary.
Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.
Avoid contact with eyes or skin.
If applicable, caution - risk of slipping

6.2 Environmental precautions

If leakage occurs, dam up. Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration. Prevent from entering drainage system. If accidental entry into drainage system occurs, inform responsible authorities

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sa dispose of according to Section 13.

6.4 Reference to other sectionsFor personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling 7.1.1 General recommendations

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.
Wash hands before breaks and at end of work.
Keep away from food, drink and animal feedingstuffs.
Remove contaminated clothing and protective equipment before entering areas in which food is consumed. 7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Store at room temperature Store in a dry place

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

GB Chemical Name Titaniu	n dioxide			Content %:
WEL-TWA: 10 mg/m3 (total inhalable	WEL-STEL:			
dust), 4 mg/m3 (respirable dust)				
Monitoring procedures:				
BMGV:		Other information	1:	
GB Chemical Name Calcium	n carbonate			Conten
				%:
WEL-TWA: 4 mg/m3 (respirable dust)	WEL-STEL:			
10 mg/m3 (total inhalable dust)				
Monitoring procedures:				
BMGV:		Other information	1:	
				•
GB Chemical Name Iron(III)	oxide			Conten
				%:
WEL-TWA: 5 mg/m3 (fume, as Fe) /	WEL-STEL: 10 mg/m	n3 (fume, as Fe)		
Rouge: 4 mg/m3 (resp. dust), 10 mg/m3				
(total inh. dust)				
Monitoring procedures:				
BMGV:	·	Other information	1:	

Monitoring procedures:			
BMGV:	Other in	nformation:	
(GB) Chemical Name Dialumini	um cobalt tetraoxide		Content
			%:
WEL-TWA: 0,1 mg/m3 (cobalt and	WEL-STEL:		
cobalt compounds, as Co), 10 mg/m3			
(total inhal, dust), 4 mg/m3 (resp. dust)			
(aluminium oxides)			
Monitoring procedures:	ISO 15202 (Workplace air - Detern	nination of metals a	nd
Mornioring procedures.	metalloids in airborne particulate ma		
	Plasma Atomic Emission Spectrome		
	2001(Part 2), 2004 (Part 3) - EU proj		
		ect bc/cen/en i k	/000/2002-
-	16 card 83-1 (2004)		
	MDHS 91 (Metals and metalloids in		ray
	fluorescence spectrometry) - 1998 -		
-	BC/CEN/ENTR/000/2002-16 card 83		
-	NIOSH 7027 (Cobalt and compound		
-	NIOSH 7300 (Elements by ICP (nitri	c/perchloric ashing)) - 2003
-	NIOSH 7301 (Elements by ICP (aqu	a regia ashing)) - 20	003
	NIOSH 7303 (Elements by ICP (Hot	block HCI/HNO3 di	gestion)) -
_	2003		· //
	OSHA ID-213 (Tungsten and cobalt	in workplace atmos	nheres
_	(ICP analysis)) - 1994		p
	(101 analysis)) 1994		



Page 2 of 5

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.10.2018 / 0002

Revision date / version: 20.016 / 0001 Replacing version dated / version: 23.07.2018 / 0001 Valid from: 10.10.2018 PDF print date: 18.10.2018 HUECK PU-Metallklebstoff - Komp. A Binder

Art.-Nr: Z92265600.0001

OSHA ID-121 (Metal and metalloid particulates in workplace atmospheres (Atomic absorption)) - 2002 OSHA ID-125G (Metal and metalloid particulates in workplace atmospheres (ICP)) - 2002

ISO 15202 (Workplace air — Determination of metals and metalloids in airborne particulate matter by Inductively Coupled Plasma Atomic Emission Spectrometry), Part 1-3 - 2000(Part 1), 2001 (Part 3) - EU project BC/CEN/ENTR/000/2002-16 card 83-1 (2004)

MDHS 91 (Metals and metalloids in workplace air by X-ray

MDHs 91 (Metals and metalloids in workplace air by X-ray fluorescence spectrometry) - 1998 - EU project BC/CEN/ENTR/000/2002-16 card 83-3 (2004) NIOSH 7027 (Cobalt and compounds, as Co.) - 1994 NIOSH 7300 (Elements by ICP (intric/perchloric ashing)) - 2003 NIOSH 7301 (Elements by ICP (aqua regia ashing)) - 2003 NIOSH 7303 (Elements by ICP (Hot block HCI/HNO3 digestion)) - 2003

2003

2003
OSHA ID-213 (Tungsten and cobalt in workplace atmospheres (ICP analysis)) - 1994
OSHA ID-121 (Metal and metalloid particulates in workplace atmospheres (Atomic absorption)) - 2002
OSHA ID-1256 (Metal and metalloid particulates in workplace

atmospheres (ICP)) - 2002

BMGV

Other information

(B) WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference

penod).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. the goal of revision.

8.2 Exposure controls

Titanium dioxide						
Area of application	Exposure route / Environmental compartment	Effect on health	Descri ptor	Valu e	Unit	Note
	Environment - freshwater		PNEC	0,18 4	mg/l	
	Environment - marine		PNEC	0,01 84	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	0,19 3	mg/l	
	Environment - sewage treatment plant		PNEC	100	mg/l	
	Environment - sediment, freshwater		PNEC	100 0	mg/kg dw	
	Environment - sediment, marine		PNEC	100	mg/kg dw	
	Environment - soil		PNEC	100	mg/kg dw	
	Environment - oral (animal feed)		PNEC	166 7	mg/kg feed	
Consumer	Human - oral	Long term, systemic effects	DNEL	700	mg/kg	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	10	mg/m3	

Calcium carbonate						
Area of application	Exposure route / Environmental compartment	Effect on health	Descri ptor	Valu e	Unit	Note
	Environment - sewage treatment plant		PNEC	100	mg/l	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	10	mg/m3	
Consumer	Human - inhalation	Long term, local effects	DNEL	1,06	mg/m3	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	10	mg/m3	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	4,26	mg/m3	

Iron(III)oxide						
Area of application	Exposure route / Environmental compartment	Effect on health	Descri ptor	Valu e	Unit	Note
Workers / employees	Human - inhalation	Long term, local effects	DNEL	10	mg/m3	

Zeolites						
Area of application	Exposure route / Environmental compartment	Effect on health	Descri ptor	Valu e	Unit	Note
	Environment - freshwater		PNEC	3,2	mg/l	
	Environment - marine		PNEC	0,32	mg/l	
	Environment - soil		PNEC	600	mg/kg dry weight	
	Environment - sewage treatment plant		PNEC	95	mg/kg	

Consumer	Human - oral	Long term, systemic effects	DNEL	1,25	mg/kg body weight/ day	
Consumer	Human - dermal	Long term, systemic effects	DNEL	1,25	mg/kg body weight/ day	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	2,5	mg/kg body weight/ day	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	3	mg/m3	

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn

should be worn.
Applies only if maximum permissible exposure values are listed here.
Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.
These are specified by e.g. BS EN 14042.
BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

With danger of contact with eyes.
Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN 374).

Recommended

Protective nitrile gloves (EN 374) Minimum layer thickness in mm:

= 0.35

>= 0,35
Permeation time (penetration time) in minutes:
>= 480 Protective hand cream recommended

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Usual protective working garments

Respiratory protection: Normally not necessary

Thermal hazards Not applicable

Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and

degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested

before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer

and must be observed

8.2.3 Environmental exposure controls

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Pastelike, Liquid According to specification Odour: Slightly Not determined Odour threshold: pH-value:
Melting point/freezing point:
Initial boiling point and boiling range: Not determined Not determined Not determined Not determined Flash point: Evaporation rate: Flammability (solid, gas): Lower explosive limit: Not determined Not determined Upper explosive limit: Vapour pressure: Vapour density (air = 1): Not determined Not determined Not determined Density: 1,43 g/cm3 (20°C) Bulk density: Solubility(ies):
Water solubility:
Partition coefficient (n-octanol/water): Not determined Insoluble Not determined Auto-ignition temperature: Not determined Decomposition temperature: Not determined Viscosity Not determined Explosive properties:
Oxidising properties: Product is not explosive.

9.2 Other information

Miscibility: Fat solubility / solvent: Not determined Not determined Not determined Conductivity: Surface tension: Not determined Solvents content: Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability
Stable with proper storage and handling.



GB Page 3 of 5

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.10.2018 / 0002
Replacing version dated / version: 23.07.2018 / 0001
Valid from: 10.10.2018
PDF print date: 18.10.2018
HUECK PU-Metallklebstoff - Komp. A Binder
Art.-Nr. Z92265600.0001

10.3 Possibility of hazardous reactions No dangerous reactions are known. 10.4 Conditions to avoid

10.4 Conditions to avoid
None known
10.5 Incompatible materials
None known
10.6 Hazardous decomposition products
No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

HUECK PU-Metallklebstoff - Komp. A Binder

Toxicity / effect	Endpo int	Value	Unit	Organis m	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin sensitisation:						n.d.a.
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Titanium dioxide	Fuelus -	Value	I Imia	Organic	Took mothed	Mates
Toxicity / effect	Endpo int	Value	Unit	Organis m	Test method	Notes
Acute toxicity, by oral	LD50	>5000	mg/k	Rat	OECD 425	
route:			g		(Acute Oral	
			"		Toxicity - Up-	
					and-Down	
					Procedure)	
Acute toxicity, by	LD50	>5000	mg/k	Rabbit	1 10000010)	
dermal route:			g			
Acute toxicity, by inhalation:	LD50	>6,8	mg/l/ 4h	Rat		
Skin			411	Rabbit	OECD 404	Not irritant
corrosion/irritation:				rabbit	(Acute Dermal	1101
oon ooion, maanom					Irritation/Corrosio	
					n)	
Serious eve				Rabbit	OECD 405	Not irritant
damage/irritation:					(Acute Eye	Mechanica
					Irritation/Corrosio	irritation
					n)	possible.
Respiratory or skin				Mouse	OECD 429 (Skin	Not .
sensitisation:				.,,,,,,,	Sensitisation -	sensitizisir
			1		Local Lymph	q
					Node Assay)	9
Respiratory or skin				Guinea	OECD 406 (Skin	Not
sensitisation:				pig	Sensitisation)	sensitizisir
Sensilisation.				pig	Sensilisation)	q
Germ cell				Salmonel	(Ames-Test)	Negative
mutagenicity:				la	(/ 111100 1 001)	rioganio
matagornotty.				typhimuri		
				um		
Germ cell					OECD 473 (In	Negative
mutagenicity:					Vitro `	, i
,					Mammalian	
					Chromosome	
					Aberration Test)	
Germ cell					OECD 476 (In	Negative
mutagenicity:					Vitro	. 3
, ,					Mammalian Cell	
					Gene Mutation	
					Test)	
Germ cell					OECD 471	Negative
mutagenicity:			1		(Bacterial	
					Reverse	
					Mutation Test)	
Reproductive toxicity				Rat	OECD 414	No
(Developmental					(Prenatal	indications
toxicity):			1		Developmental	of such an
					Toxicity Study)	effect.
Specific target organ					,,/	Not irritant
toxicity - single						(respirator
exposure (STOT-SE):						tract).
Symptoms:						coughing,
-7 1						Irritant to
			1			mucosa of
						the nose
						and throat
Specific target organ	NOAE	3500	mg/k	Rat		90d
toxicity - repeated	L	3000	g/d			300
exposure (STOT-RE),	-		1 3-			

Specific target organ toxicity - repeated exposure (STOT-RE), infalat. Calcium carbonate Toxicity / reflect Toxicity / repeated exposure (STOT-RE), reflect Toxicity / reflect Toxicity / reflect Toxicity / reflect Toxicity / reflect Toxici		110.15	- 10			I	
Exposure (STOT-RE), inhalatz:	Specific target organ	NOAE	10	mg/m	Rat		90d
Calcium carbonate Calcium carbonate Toxicity feffect Endpo Lint Unit Organis Test method Notes Calcium carbonate Toxicity feffect Endpo Lint Unit Organis Rat QECD 420 Quality - Fixe Dose Procedure)	exposure (STOT-RE).			3			
Toxicity / effect Endpo int Notes Note							
Toxicity / effect Endpo int Notes Note							
Acute toxicity, by oral route: Acute toxicity, by oral route:		Forders	M-1	1111	01-	Total mode and	Nere
Acute toxicity, by oral route:	l oxicity / effect		Value	Unit		lest method	Notes
route: Acute toxicity, by dermal route: Acute toxicity, by inhalation: Acute toxicity, by inhalation: Skin Corrosion/irritation: Skin Corrosion/irritation: Skin Corrosion/irritation: Skin Corrosion/irritation: Skin Corrosion/irritation: Rabbit Corrosion/irritation: Rabbit Corrosion/irritation: Serious eye damage/irritation/Corrosion/irritation/corrosion/ir	Acute toxicity, by oral	LD50	>2000	ma/k		OFCD 420	
Acute toxicity, by dermal route: Acute toxicity, by inhalation: Skin Corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Respiratory or skin sensitisation: Respiratory or skin sensitisation: Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: NOEL 1000 mg/k g		2200	72000		1101		
Acute toxicity, by demail route: Serious eye Combined Serious eye Serious eye Combined Serious eye Ser				"		toxicity - Fixe	
dermal route:		1550					
Acute toxicity, by inhalation: Acute toxicity, by inhalation:		LD50	>2000		Rat		
Acute toxicity, by inhalation: CECD 43 Ah Ah CECD 43 CAute Inhalation Toxicity)	dermai route.			9		Toxicity)	
inhalation: Skin (Acute Inhalation Toxicity) Skin corrosion/irritation: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Respiratory or skin sensitisation: Respiratory or skin sensitisation: Germ cell mutagenicity: Germ cell care deverse dever	Acute toxicity, by	LC50	>3	mg/l/	Rat	OECD 403	
Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Respir						(Acute Inhalation	
Corrosion/irritation:						Toxicity)	
Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Respiratory or skin sensitisation: Respiratory or skin sensitisation: Germ cell mutagenicity: Germ cell chromosome Aberration Test) OECD 473 (In Vitro Mammalian Cell Gene Mutation Test) No indications of such an effect. Germ cell chromosome Aberration Test) No indications of such an effect. Specific target organ toxicity - repeated exposure (STOT-RE): Aspiration hazard: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated cexposure (STOT-RE), oral: Specific target organ toxicity - repeated cexposure (STOT-RE), oral: Specific target organ toxicity - repeated cexposure (STOT-RE), oral: Specific target organ toxicity - repeated cexposure (STOT-RE), oral: Specific target organ toxicity - repeated cexposure (STOT-RE), oral: Specific target organ toxicity - repeated cexposure (STOT-RE), oral: Specific target organ toxicity - repeated cexposure (STOT-RE), oral: Specific target organ toxicity - repeated cexposure (STOT-RE), oral: Specific target organ toxicity - repeated cexposure (STOT-RE), oral: Specific target organ toxicity - repeated cexposure (STOT-RE), oral: Specific target organ toxicity - repeated cexposure (STOT-RE), oral: Specific target organ toxicity - repeated cexposure (STOT-RE), oral: Specific target					Rabbit		Not irritant
Serious eye damage/irritation: Respiratory or skin sensitisation: Local Lymph Node Assay) Respiratory of Serio 471 Respiratory or skin sensitisation: Referroductiv: Referroductiv: Referroductiv: Referroductive toxicity: Reproductive toxicity: Repro	corrosion/imtation.						
Carcinogenicity: NOEL 1000 mg/k Rat OECD 422 (Combined exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE); Specific target organ toxicity - repeated exposure (STOT-RE); Specific target organ toxicity - repeated exposure (STOT-RE); ORCD 422 (Combined exposure (STOT-RE); ORCD 423 (Combined exposure (STOT-RE); ORCD 424 (Combined exposure (STOT-RE); ORCD 425 (Combined e							
Respiratory or skin sensitisation: Decorphy 10					Rabbit		Not irritant
Respiratory or skin sensitisation: Mouse OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 471	damage/irritation:						
Sensitisation: Germ cell mutagenicity: Carcinogenicity: Carcinogenicity: NOEL 1000 mg/k g Rat OECD 473 (In Vitro Mammalian Cell Gene Mutation Test) No indications of such an effect. Reproductive toxicity: Specific target organ toxicity - repeated exposure (STOT-RE): Aspiration hazard: Symptoms: NOAE 1000 mg/k Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Developm. Tox. Screening Test) No indications of such an effect. No indications of such an effect. Specific target organ toxicity - repeated exposure (STOT-RE): Aspiration hazard: Symptoms: NOAE 1000 mg/k Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Developm. Tox. Screening Test) Specific target organ toxicity - repeated exposure (STOT-RE), oral: NOAE 0,212 mg/l Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Developm. Tox. Screening Test) Specific target organ toxicity - repeated Combined Repeated Dose Tox. Study with the Reproduction/Developm. Tox. Screening Test)						Irritation/Corrosio	
Sensitisation: Germ cell mutagenicity: Carcinogenicity: Carcinogenicity: NOEL 1000 mg/k g	Pagniratory or skip				Mouse	OECD 429 (Skin	Not
Carr cell mutagenicity: Carcinogenicity: NOEL 1000 mg/k g					Wiouse		
Germ cell mutagenicity: Carcinogenicity: Carcinogenicity: No EL 1000 mg/k g Rat GECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Screening Test) Specific target organ toxicity - single exposure (STOT-RE): Aspiration hazard: Symptoms: No No No No No Symptoms: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ NOAE C 0.212 mg/l Rat GECD 412 (Subchronic Inhalation Inhalati						Local Lymph	
mutagenicity: Germ cell mutagenicity: Carcinogenicity: Carcinogenicity: NoEL 1000 mg/k g according to such an effect. Reproductive toxicity: NOEL 1000 mg/k g according to such an effect. Specific target organ toxicity - single exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE); Specific target organ toxicity - repeated						Node Assay)	- C
Reverse Mutation Test) Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Carcinogenicity: Carcinogenicity: Carcinogenicity: NoEL 1000 mg/k Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Screening Test) Specific target organ toxicity - repeated exposure (STOT-RE); Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Screening Test) No indications of such an effect. No N							Negative
Germ cell mutagenicity: Carcinogenicity: Carcinogenicity: Carcinogenicity: NOEL 1000 mg/k g bw/d Pw/d Rat OECD 422 (Combined Repeated Dose Reproduction/De velopm. Tox. Study with the Reproduction/Servening Test) Specific target organ toxicity - repeated exposure (STOT-RE). Aspiration hazard: Symptoms: Specific target organ toxicity - repeated exposure (STOT-RE).	mutagenicity:						
Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Carcinogenicity: Carcinogenicity: NOEL 1000 mg/k g bw/d Pw/d Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Screening Test) Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: NOAE 0,212 mg/l Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Study							
mutagenicity: Serm cell mutagenicity:	Germ cell						Negative
Germ cell mutagenicity: Carcinogenicity: Carcinogenicity: Nogative N						Vitro	
Germ cell mutagenicity: Carcinogenicity:							
Germ cell mutagenicity: Carcinogenicity: Carcinogenicity: NOEL 1000 mg/k g bw/d Paper Committee (Committee) Reproductive toxicity: NOEL 1000 mg/k g bw/d Reparted Dose Tox. Study with the Reproduction/De velopm. Tox. Screening Test) Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: NOECD 422 (Combined Repeated Dose Tox. Study with the No indications of such an effect. No CCD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Study with the Reproduction/De velopm. Tox. Screening Test) Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral:							
mutagenicity: Carcinogenicity: Reproductive toxicity: NOEL Reproductive toxicity: NOEL Reproductive toxicity: NOEL Reproductive toxicity: NOEL No indications of such an effect. Reproduction/De velopm. Tox. Streening Test) No indications of such an effect. Specific target organ toxicity - repeated exposure (STOT-RE): Aspiration hazard: Symptoms: NOAE NOAE Specific target organ toxicity - repeated exposure (STOT-RE), oral: NOAE NOAE Specific target organ toxicity - repeated exposure (STOT-RE), oral: Rat OECD 422 (Combined Repeated Dose Tox. Streening Test) No indications of such an effect. No No indications of such an effect. No No indications of such an effect. No No indications of such an effect. No No indications of such an effect. Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: NOAE Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Screening Test) Specific target organ toxicity - repeated exposure (STOT-RE), oral: NOAE C Rat OECD 413 (Subchronic Inhalation	Corm coll						Mogativa
Carcinogenicity: Carcinogenicity: Reproductive toxicity: NOEL 1000 mg/k g bw/d Reproductive toxicity: Specific target organ toxicity - single exposure (STOT-RE): Aspiration hazard: Symptoms: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: NOAE 0,212 mg/l Rat OECD 413 (Subchronic Inhalation							ivegative
Carcinogenicity: Reproductive toxicity: NOEL 1000 mg/k g Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Screening Test) No indications of such an effect.							
Carcinogenicity: Reproductive toxicity:							
Reproductive toxicity: NOEL 1000 mg/k g bw/d Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Screening Test) Specific target organ toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT-RE): Aspiration hazard: Symptoms: NOAE 1000 mg/k Q Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Screening Test) No indications of such an effect. No indications of such an effect. Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated (C C C C C C C C C C C C C C C C C C C	l					Test)	
Reproductive toxicity: Reproductive toxicity: NOEL 1000 mg/k g mg/k g w/d Reproduction/De Reproduction/De	Carcinogenicity:						
Reproductive toxicity: Reproductive toxicity: NOEL 1000 mg/k g w/d Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Streening Test) No indications of such an effect.							
Specific target organ toxicity - single exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE); Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Indications of such an effect. Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Indications of such an effect. Specific target organ toxicity - repeated exposure (STOT-RE), oral: Indications of such an effect. No Specific target organ toxicity - repeated exposure (STOT-RE), oral: Indications of such an effect. No Specific target organ toxicity - repeated exposure (STOT-RE), oral: Indications of such an effect. No Specific target organ toxicity - repeated exposure (STOT-RE), oral: Indications of such an effect. No Specific target organ toxicity - repeated exposure (STOT-RE), oral: Indications of such an effect. No Specific target organ toxicity - repeated exposure (STOT-RE), oral: Indications of such an effect. No Indicat							
Specific target organ toxicity - single exposure (STOT-RE); Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE); Specific target organ toxicity - repeated exposure (STOT-RE); Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Inhalation Inhalation oral inhalation in the second interest of the reposure (STOT-RE).	Reproductive toxicity:	NOEL	1000	mg/k	Rat		
Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: No No indications of such an effect. No No indications of such an effect. No No indications of such an effect. Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Inhalation Inhalation Inhalation				g ,			
Specific target organ toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Inhalation Indications				bw/d			
Specific target organ toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE); Specific target organ toxicity - repeated exposure (STOT-RE); Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: NOAE 0,212 mg/l Rat OECD 413 (Subchronic Inhalation Inhalation							
Specific target organ toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral indication oral indication oral indications of such an effect. Specific target organ toxicity - repeated exposure (STOT-RE), oral indication oral indications of such an effect. Specific target organ toxicity - repeated exposure (STOT-RE), oral indication oral indications or such an effect. Specific target organ toxicity - repeated exposure (STOT-RE), oral indication indications or such an effect. Specific target organ toxicity - repeated exposure (STOT-RE), oral indication indications or such an effect. Specific target organ toxicity - repeated exposure (STOT-RE), oral indication indications or such an effect. No No No No No No No No Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox.						Reproduction/De	
Specific target organ toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT-RE): Aspiration hazard: Symptoms: No No indications of such an effect. Symptoms: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral toxicity - repe						velopm. Tox.	
toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT-RE): Aspiration hazard: Symptoms: NO Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Inhalation indications of such an effect. No No No No Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Screening Test) Specific target organ toxicity - repeated Exposure (STOT-RE), oral inhalation inhalation	0					Screening Test)	NI-
exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE): Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Inhalation	opecinic larget organ						
Specific target organ toxicity - repeated exposure (STOT-RE): Aspiration hazard: Symptoms: NO No No No No Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated c C C C C C C C C C C C C C C C C C C	exposure (STOT-SE):						
toxicity - repeated exposure (STOT-RE): Aspiration hazard: Symptoms: No Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: NOAE 1000 mg/k Rat OECD 422 (Combined Repeated Dose Repeated Dose Repeated Dose Repoduction/De velopm. Tox. Study with the Reproduction/De velopm. Tox. Screening Test) Specific target organ toxicity - repeated exposure (STOT-RE), oral toxicity - repeated exposure (STOT-RE), oral inhalation in Inhalation	' ' ' '						effect.
exposure (STOT-RE): Aspiration hazard:							
Aspiration hazard: Symptoms: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral toxi	toxicity - repeated						indications
Aspiration hazard: Symptoms: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated c C c exposure (STOT-RE), oral: Specific target organ toxicity - repeated C C c c c c c c c c c c c c c c c c c	exposure (5101-RE):						
Symptoms: No indications of such an effect.	Aspiration hazard:						
Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: NOAE 1000 mg/k g Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Screening Test) Specific target organ toxicity - repeated c C c exposure (STOT-RE), oral toxicity - repeated (STOT-RE).	Symptoms:						No
Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: NOAE 1000 mg/k Rat OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De velopm. Tox. Screening Test) Specific target organ toxicity - repeated c C c Rat OECD 413 (Subchronic Inhalation of STOT-RE).							
Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated Specific target organ toxicity - repeated C C C C C C C C C							
toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated c Exposure (STOT-RE), oral: Specific target organ toxicity - repeated c Exposure (STOT-RE), oral Specific target organ toxicity - repeated c Exposure (STOT-RE), oral Specific target organ toxicity - repeated c C C C C C C C C C	Specific target organ	NOAF	1000	ma/k	Rat	OECD 422	enect.
exposure (STOT-RE), oral: Dw/d Repeated Dose	toxicity - repeated			g			
the Reproduction/De velopm. Tox. Specific target organ NOAE 0,212 mg/l Rat OECD 413 (Subchronic Inhalation	exposure (STOT-RE),			bw/d		Repeated Dose	
Reproduction/De velopm. Tox. Specific target organ NOAE 0,212 mg/l Rat OECD 413 (Subchronic landation (STOT-RE),	oral:						
Specific target organ NOAE 0,212 mg/l Rat OECD 413 (Subchronic exposure (STOT-RE),							
Specific target organ NOAE 0,212 mg/l Rat OECD 413 (Subchronic exposure (STOT-RE),						velonm Tov	
Specific target organ NOAE 0,212 mg/l Rat OECD 413 (Subchronic exposure (STOT-RE),							
exposure (STOT-RE), Inhalation			0,212	mg/l	Rat	OECD 413	
exposure (STOT-RE), Inhalation		C		1			
	exposure (STOT-RE),					Inhalation	
Study)	milalat						

Iron(III)oxide						
Toxicity / effect	Endpo int	Value	Unit	Organis m	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/k g	Rat		Analogous conclusion
Skin corrosion/irritation:				Rabbit		Not irritant, Analogous conclusion, Mechanica I irritation possible.
Serious eye damage/irritation:				Rabbit		Not irritant, Analogous conclusion, Mechanica I irritation possible.
Symptoms:						respiratory distress, coughing, mucous membrane irritation

Dialuminium cobalt tetraoxide										
Toxicity / effect	Endpo	Value	Unit	Organis	Test method	Notes				
	int			m						
Acute toxicity, by oral	LD50	>5000	mg/k	Rat						
route:			g							
Skin				Rabbit		Not irritant				
corrosion/irritation:										
Serious eye				Rabbit		Not irritant				
damage/irritation:										



GB Page 4 of 5

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.10.2018 / 0002 Replacing version dated / version: 23.07.2018 / 0001 Valid from: 10.10.2018 PDF print date: 18.10.2018 HUECK PU-Metallklebstoff - Komp. A Binder Att. Nr. 720275500 0001 Art.-Nr: Z92265600.0001

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Toxicity / effect	Endpoin	Tim	Valu	Unit	Organism	Test	Notes
	t	е	е			method	
12.1. Toxicity to							n.d.a.
fish:							
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to							n.d.a.
algae:							
12.2.							n.d.a.
Persistence and							
degradability:							
12.3.							n.d.a.
Bioaccumulative							
potential:							
12.4. Mobility in							n.d.a.
soil:							
12.5. Results of							n.d.a.
PBT and vPvB	1						
assessment	1						
12.6. Other							n.d.a.
adverse effects:	1						

Toxicity / effect	Endpoin	Tim	Valu	Unit	Organism	Test	Notes
-	t	е	е		_	method	
12.1. Toxicity to ish:	LC50	96h	>10 0	mg/l	Oncorhynch us mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	LC50	48h	>10 0	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisati on Test)	
12.1. Toxicity to algae:	EC50	72h	16	mg/l	Pseudokirch neriella subcapitata	U.S. EPA- 600/9-78- 018	
12.3. Bioaccumulative potential:	BCF	14d	19- 352				Oncorhyn- hus mykis
12.3. Bioaccumulative potential:	BCF	42d	9,6				No
12.4. Mobility in soil:							Negative
12.5. Results of PBT and vPvB assessment							No PBT substance No vPvB substance
Toxicity to pacteria:			>50 00	mg/l	Escherichia coli		
Toxicity to pacteria:	LC0	24h	>10 000	mg/l	Pseudomon as fluorescens		
Toxicity to annelids:	NOEC/N OEL		>10 00	mg/k g	Eisenia foetida		

Calcium carbonate										
Toxicity / effect	Endpoin	Tim	Valu	Unit	Organism	Test	Notes			
	t	е	e			method				
12.1. Toxicity to fish:	LC50	96h			Oncorhynch us mykiss	OECD 203 (Fish, Acute Toxicity Test)	No observation with saturated solution of test material.			
12.1. Toxicity to daphnia:	EC50	48h			Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisati on Test)	No observation with saturated solution of test material.			
12.1. Toxicity to algae:	EC50	72h	>14	mg/l	Desmodesm us subspicatus	OECD 201 (Alga, Growth Inhibition Test)				
12.1. Toxicity to algae:	NOEC/N OEL	72h	14	mg/l	Desmodesm us subspicatus	OECD 201 (Alga, Growth Inhibition Test)				
12.2. Persistence and degradability:							Not relevant for inorganic substances			
12.3. Bioaccumulative potential:							Not to be expected			
12.4. Mobility in soil:							n.a.			
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance			

Other organisms: EC50 21d >10 mg/k OEC 208 Clerestrial Plants, Growth Test)							
Toxicity to bacteria:	Toxicity to bacteria:	EC50	3h		mg/l	(Activated Sludge, Respiration Inhibition Test (Carbon and	
Other organisms: EC50 21d >10 mg/k OECD 208 Clrerestrial Plants, Growth Test) Other organisms: EC50 21d >10 mg/k OECD 208 Clrerestrial Plants, Growth Test) Other organisms: EC50 21d >10 mg/k OECD 208 Clrerestrial Plants, Growth Test) Other organisms: EC50 21d >10 mg/k OECD 208 Clrerestrial Plants, Growth Test) Other organisms: NOEC/N OEL 0 g dw OECD 208 Clrerestrial Plants, Growth Test) OEL OECD 208 Clrerestrial Plants, Growth Test) OEL OECD 208 Clrerestrial Plants, Growth Test) OEL OECD 208 Clrerestrial Plants, Growth Test) Other organisms: NOEC/N OEL O g dw OECD 208 Clrerestrial Plants, Growth Test) OECD 208 Clreathworm, Acute Toxicity Tests) OECD 207 Cleathworm, Acute Toxicity Tests OECD 207 Cleathwor			3h		mg/l	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium	
Other organisms: EC50 21d >10 mg/k OECD 208 (Terrestrial Plants, Growth Test) Other organisms: NOEC/N OEL O g dw OECD 208 (Terrestrial Plants, Growth Test) Other organisms: NOEC/N OEL O g dw OECD 208 (Terrestrial Plants, Growth Test) Other organisms: NOEC/N OEL O g dw OECD 208 (Terrestrial Plants, Growth Test) OECD 207 (Earthworm, Acute Toxicity Tests) OECD 207 (Earthworm, Acute To	Other organisms:	EC50	21d			OECD 208 (Terrestrial Plants, Growth	
Other organisms: NOEC/N OEC OE	Other organisms:	EC50	21d			OECD 208 (Terrestrial Plants, Growth	Lycopersic on esculentum
Other organisms:	Other organisms:	EC50	21d			OECD 208 (Terrestrial Plants, Growth Test)	
OEL	Other organisms:		21d			OECD 208 (Terrestrial Plants, Growth	
Other organisms: NOEC/N 21d 100 mg/k 0 CECD 208 (Terrestrial Plants, Growth Test)	Other organisms:		21d			(Terrestrial Plants, Growth	Lycopersic on esculentum
Other organisms: EC50	Other organisms:		21d			OECD 208 (Terrestrial Plants, Growth	
Other organisms: NOEC/N 14d 100 mg/k Eisenia OECD 207 (Earthworm, Acute Toxicity Tests)	Other organisms:	EC50	14d			OECD 207 (Earthworm, Acute Toxicity	
Other organisms: EC50 28d 510 mg/k OECD 216 (Soil Microorganis ms - Nitrogen Transformati on Test)	Other organisms:		14d			OECD 207 (Earthworm, Acute Toxicity	
Other organisms: NOEC/N 28d 100 mg/k OECD 216 (Soil Microorganis ms - Nitrogen Transformati on Test) Water solubility: 0,01 g/l OECD 105 20°C	-			00	g dw	OECD 216 (Soil Microorganis ms - Nitrogen Transformati on Test)	
Water solubility: 0,01 g/l OECD 105 20°C	Other organisms:		28d			OECD 216 (Soil Microorganis ms - Nitrogen Transformati	
Solubility)	Water solubility:			0,01 66	g/l	OECD 105 (Water	20°C

Н	Iron(III)oxide							
ΙГ	Toxicity / effect	Endpoin	Tim	Valu	Unit	Organism	Test	Notes
		t	e	е			method	
Ιſ	12.1. Toxicity to	LC50	96h	>10	mg/l	Leuciscus		Analogous
	fish:			00		idus		conclusion
П	12.1. Toxicity to	EC50	48h	>10	mg/l	Daphnia	OECD 202	
	daphnia:			0		magna	(Daphnia	
H							sp. Acute	
							Immobilisati	
Ш							on Test)	
ΙГ	Toxicity to	EC50	3h	>10	mg/l	activated	ISO 8192	
ΙL	bacteria:			000		sludge		

Dialuminium cobalt tetraoxide										
Toxicity / effect	Endpoin	Tim	Valu	Unit	Organism	Test	Notes			
	t	e	e			method				
12.1. Toxicity to	LC0		100	mg/l	Leuciscus					
fish:			0	_	idus					
12.1. Toxicity to	EC0	48h	>10	mg/l	Daphnia					
daphnia:			000	_	magna					

SECTION 13: Disposal considerations

13.1 Waste treatment methods

1.3.1 waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09 Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

For contaminated packing material Pay attention to local and national official regulations.



Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.10.2018 / 0002

Revision date / version: 23.07.2018 / 0001 Replacing version dated / version: 23.07.2018 / 0001 Valid from: 10.10.2018 PDF print date: 18.10.2018 HUECK PU-Metallklebstoff - Komp. A Binder

Art.-Nr: Z92265600.0001

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

n.a.

n a

General statements

14.1. UN number n.a.

Transport by road/by rail (ADR/RID) 14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:
Classification code:
LQ:
14.5. Environmental hazards: n.a. Not applicable

Tunnel restriction code: Transport by sea (IMDG-code)

14.2. UN proper shipping name: 14.3. Transport hazard class(es): n.a. 14.3. Hansport flazard class 14.4. Packing group: Marine Pollutant: 14.5. Environmental hazard n.a. n.a Not applicable

Transport by air (IATA)
14.2. UN proper shipping name:
14.3. Transport hazard class(es):

n.a. 14.4. Packing group:
14.5. Environmental hazards n.a. Not applicable

14.6. Special precautions for user

ise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code
Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: 4, 8, 10, 11, 12, 15

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

Any abbreviations and acronyms used in this document:

Article Categories AC.

acc., acc. to according according to
ACGIH
ACGIH
ACGIH
ACGORDOPE network according to the transport international des marchandises Dangereuses par Route (=
European Agreement concerning the International Carriage of Dangerous Goods by Road) AOEL Acceptable Operator Exposure Level
AOX Adsorbable organic halogen compounds approx. approximately
Art, Art. no.Article number
ATE Acute Toxicing Toxici

Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and

BAM

Bank Bundesanstalt für Materialiotschung und "Futung (Federal Institute for Materials Research and Testing, Germany)

BAUA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

Bioconcentration factor

BCF BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)

Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) Biological monitoring guidance value (EH40, UK) Biochemical oxygen demand Bromine Science and Environmental Forum BHT

BMGV BOD BSEF

bw CAS body weight

Chemical Abstracts Service

Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants CEC

and Oth CESIO CIPAC CLP uuos Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques Collaborative International Pesticides Analytical Council Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification,

labelling ar

classification, Labeling and Packaging (REGI dq packaging of substances and mixtures) carcinogenic, mutagenic, reproductive toxic Chemical oxygen demand Cosmetic, Toiletry, and Fragrance Association Derived Minimum Effect Level CMR

COD CTFA DMEL DNEL Derived No Effect Level

DT50

Dissolved organic carbon
Dwell Time - 50% reduction of start concentration
Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for 4 Allied Processes)

dw

dry weight

for example (abbreviation of Latin 'exempli gratia'), for instance European Community European Chemicals Agency European Economic Area e.g. EC ECHA

European Economic Community
European Inventory of Existing Commercial Chemical Substances
European List of Notified Chemical Substances EEC EINECS

ELINCS

EN EPA ERC

European Norms
United States Environmental Protection Agency (United States of America)
Environmental Release Categories

Exposure scenario

ES etc. EU et cetera European Union European Waste Catalogue Fax number

EWC Fax.

gen. GHS

general Globally Harmonized System of Classification and Labelling of Chemicals

GMP Global warming potential
HET-CAM Hen's Egg Test - Chorionallantoic Membrane
HGWP Halocarbon Global Warming Potential
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IBC International Bulk Chemical (Code)
International Bulk Chemical (Code)

Inhibitory concentration Inhibitory concentration International Maritime Code for Dangerous Goods including, inclusive International Uniform ChemicaL Information Database IMDG-code incl. IUCLID

lethal concentration

LC50 lethal concentration 50 percent kill

LCLo LD LD50 lowest published lethal concentra Lethal Dose of a chemical Lethal Dose, 50% kill

LDLo LOAEL Lethal Dose Low Lowest Observed Adverse Effect Level LOEC LOEL

LQ MARPOL

Lowest Observed Effect Concentration
Lowest Observed Effect Level
Limited Quantities
International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicable n.av. not available n.av. n.c. n.d.a. NIOSH NOAEC NOAEL not checked

not checked
no data available
National Institute of Occupational Safety and Health (United States of America)
No Observed Adverse Effective Concentration
No Observed Adverse Effect Level
No Observed Effect Concentration

NOEC

NOEL ODP OECD No Observed Effect Level
Ozone Depletion Potential
Organisation for Economic Co-operation and Development

org. PAH PBT polycyclic aromatic hydrocarbon persistent, bioaccumulative and toxic

PC PE PNEC POCP Chemical product category
Polyethylene
Predicted No Effect Concentration Photochemical ozone creation potential

ppm PROC parts per million Process category

PROC Process category
PTFE Polytetrafluorethylene
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)
REACH-IT List-No. 9xxxxxx x No. is automatically assigned, e.g. to pre-registrations without a CAS
No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (=
Regulation concerning the International Carriage of Dangerous Goods by Rail)
SADT Self-Accelerating Decomposition Temperature
SAR Structure Activity Relationship
SU Sector of use

Substances of Very High Concern Telephone Theoretical oxygen demand SVHC Tel. ThOD

TOC Total organic carbon

Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances) United Nations Recommendations on the Transport of Dangerous Goods TRGS UN RTDG

VhF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))

VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))
VOC Volatile organic compounds
vPvB very persistent and very bioaccumulative
WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).
WHO World Health Organization

The statements made here should describe the product with regard to the necessary safety precautions - they

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.